

10670276_LIST

10670276

PLUS Search Results for S/N 10670276 Searched Dec 29, 2006.

The Patent Linguistic Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

20050071341

7149736

20050071320

6243384

5873074

5978793

5832484

20050125406

20050149475

6253193

6363488

6389402

6427140

6009432

5291583

5295256

5586255

5812996

5926810

5953451

6182058

6356913

6513041

6553365

6606638

6907422

6947946

7076507

20010000536

20010051946

20030182304

20040059750

20050102262

20050192996

20060161521

6282531

5327556

5920867

6035297

6151608

6374235

6996556

20040039729

20040002388

4298897

5293600

5253361

5253362

5301319

5943676

6092178

6317882

6898609

20030212660

20060190433

5630124

10670276_LIST

5182705
5204958
5778350
6023707
6236984
6839719
6970882
7076727
20030217074
20040133610
20040230594
20050091263
20060200774
5617566
5561778
5579499
5594881
5613142
5652873
5664160
5687343
5710915
5870747
5493671
5511186
5551027
5742806
5842212
5960194
5960428
6009427
6076105
6138111
6195661
4914569
4961134
5191652
5257365
5295261
5404512
5404513
5442782
5442784
5664172

WEST Search History

DATE: Friday, December 29, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>		
<input type="checkbox"/>	L143	L142 and (updat\$3 near5 size)	3
<input type="checkbox"/>	L142	L141 and (table near5 space)	21
<input type="checkbox"/>	L141	(database near5 size).clm. and @py<=2003	242
<input type="checkbox"/>	L140	(database near5 tun\$3) and (table near5 space) and (delet\$3 near5 record\$1) and @py<=2003	6
<input type="checkbox"/>	L139	l138 and (table near5 size)	1
<input type="checkbox"/>	L138	L137 and (table near5 space)	1
<input type="checkbox"/>	L137	(database\$1 and size).ti. and @py<=2003	1139
<input type="checkbox"/>	L136	((data near5 table\$1) and (relational near5 table\$1) and (table near5 space)).ab,clm. and @py<=2003	9
<input type="checkbox"/>	L135	((delet\$3 near5 table\$1) and (reduc\$3 near5 space)).ab. and @py<=2003	0
<input type="checkbox"/>	L134	((delet\$3 near5 table\$1) same (reduc\$3 near5 space)).ab. and @py<=2003	0
<input type="checkbox"/>	L133	((relational near5 table\$1) and (table near5 space)).clm. and @py<=2003	7
<input type="checkbox"/>	L132	L131 and (record\$1 near5 field\$1)	9
<input type="checkbox"/>	L131	L130 and (table near5 space)	20
<input type="checkbox"/>	L130	L129 and (table near5 size\$1)	85
<input type="checkbox"/>	L129	(relational near5 table\$1) .clm. and @py<=2003	489
<input type="checkbox"/>	L128	((table\$1 near5 size) and (relational near5 table\$1) and (response near5 time)).clm. and @py<=2003	0
<input type="checkbox"/>	L127	L126 and (instance\$1 near5 condition\$1)	0
<input type="checkbox"/>	L126	L125 and (record\$1 near5 field\$1)	23
<input type="checkbox"/>	L125	L124 and (relational near5 table\$1)	28
<input type="checkbox"/>	L124	L123 and (table near5 size\$1)	100
<input type="checkbox"/>	L123	(delet\$3 near5 table\$1) and (delet\$3 near5 record\$1) and (creat\$3 near5 record\$1) and @py<=2003	505
<input type="checkbox"/>	L122	L121 and (delet\$3 near5 record\$1)	3
<input type="checkbox"/>	L121	L120 and row\$1 and instance\$1	13
<input type="checkbox"/>	L120	L119 and (materializ\$2 near5 view\$1)	17
<input type="checkbox"/>	L119	(database near5 table\$1) same (table near5 size\$1) and @py<=2003	306
<input type="checkbox"/>	L118	L117 and record\$1	13
<input type="checkbox"/>	L117	L115 and create\$3	13

□ L116 L115 and flag\$1	4
□ L115 L113 and record\$1 and field\$1	13
□ L114 L113 and (multiple near5 table\$1)	0
□ L113 L112 and delet\$3 and updat\$3	15
□ L112 L111 and instance\$1	17
□ L111 (star near5 schema) and (create near5 table\$1) and cube and @py<=2003	28
□ L110 L109 and (table near5 size)	4
□ L109 L108 and (second near5 table)	17
□ L108 L107 and (first near5 table)	21
□ L107 l105 and instance\$1	25
□ L106 L105 and (multiple near5 instance\$1)	1
□ L105 L104 and (creat\$3 near5 table\$1)	35
□ L104 L97 and (delet\$3 near5 record\$1)	48
□ L103 L102 and olap	5
□ L102 5852818 .uref.	23
□ L101 L100 and active and inactive and condition\$1	0
□ L100 l97 and (database near5 tun\$3)	8
□ L99 L98 and (multiple near5 instance\$1)	9
□ L98 L97 and (multiple near5 database\$1)	144
□ L97 (relational and database\$1).ti. and @py<=2003	1340
□ L96 L95 and (inactive near5 record\$1)	2
□ L95 L94 and (active near5 record\$1)	21
□ L94 L93 and (field\$1 near5 value\$1)	149
□ L93 L92 and (table\$1 near5 instance\$1)	276
□ L92 L91 and (data near5 record\$1)	1465
□ L91 L90 and (structured query language)	2834
□ L90 (creat\$3 near5 table\$1) and (creat\$3 near5 database\$1) and @py<=2003 DB=PGPB; PLUR=YES; OP=OR	3407
□ L89 US-20020161748-A1.did.	1
□ L88 US-20020161748-A1.did. DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	1
□ L87 L85 and (query near5 language\$1)	1
□ L86 L85 and command\$1 and sql	0
□ L85 (database\$1 and record\$13 and multiple).ti. and @py<=2003	138
□ L84 (database\$1 and record\$1 and tun\$3).ti. and @py<=2003	0
□ L83 (multiple and instance\$1 and database\$1).ti. and @py<=2003	4
□ L82 L81 and (creat\$3 near5 'deleted records')	1
□ L81 L66 and (deleted records)	50

<input type="checkbox"/>	L80	L66 and (deleted records table)	0
<input type="checkbox"/>	L79	L72 and (deleted records table)	0
<input type="checkbox"/>	L78	L77 and (deleted near5 record\$1)	1
<input type="checkbox"/>	L77	L73 and (second near5 table)	10
<input type="checkbox"/>	L76	L73 and (inactive near5 active)	0
<input type="checkbox"/>	L75	L73 and (inactive near5 field\$1)	0
<input type="checkbox"/>	L74	L73 and (inactive near5 instance\$1)	0
<input type="checkbox"/>	L73	L72 and (instance near5 record\$1)	28
<input type="checkbox"/>	L72	L71 and L66	155
<input type="checkbox"/>	L71	(relational near5 database\$1) and (multiple near5 instance\$1)	1948
<input type="checkbox"/>	L70	L69 and (table\$1 near5 multiple instance\$1)	1
<input type="checkbox"/>	L69	L68 and (generat\$3 near5 data)	5
<input type="checkbox"/>	L68	L67 and (active near5 instance\$1)	19
<input type="checkbox"/>	L67	L66 and (inactive near5 instance\$1)	19
<input type="checkbox"/>	L66	(first near5 database) and (second near5 database) and @py<=2003	7666
<input type="checkbox"/>	L65	L64 and (query\$3 near5 table\$1)	6
<input type="checkbox"/>	L64	L63 and (updat\$3 near5 record\$1)	24
<input type="checkbox"/>	L63	L62 and (summary near5 table\$1)	32
<input type="checkbox"/>	L62	(source near5 database\$1) and (multiple near5 instances) and @py<=2003 (relational near5 table\$1) and (source near5 database) and (target near5 database\$1) and (second near5 table\$1) and (multiple near5 instances) and record\$1 and (data near5 type\$1) and sql and command\$1 and @py<=2003	428
<input type="checkbox"/>	L61	pl\$sql and olap and cube and view\$1 and table\$1 and record\$1 and instance\$1 and database\$1 and delet\$3 and updat\$3 and creat\$3 and command\$1 and @py<=2003	3
<input type="checkbox"/>	L60	(database\$1 near5 view\$1) and (summary near5 table\$1) and (assign\$3 near5 record\$1) and (updat\$3 near5 record\$1) and (record\$1 near5 instance) and @py<=2003	1
<input type="checkbox"/>	L59	record\$1) and (updat\$3 near5 record\$1) and (record\$1 near5 instance) and @py<=2003	2
<input type="checkbox"/>	L58	L57 and olap and cube	0
<input type="checkbox"/>	L57	L56 and (multiple near5 instances)	38
<input type="checkbox"/>	L56	L54 and (join near5 table\$1)	84
<input type="checkbox"/>	L55	L54 and (join nar5 table\$1)	0
<input type="checkbox"/>	L54	(first near5 database) and (second near5 database) and relational and record\$1 and sql and command\$1 and (table near5 view\$1) and @py<=2003	167
<input type="checkbox"/>	L53	L52 and (assign\$3 near5 record\$1)	3
<input type="checkbox"/>	L52	L51 and (modify\$3 near5 table\$1)	26
<input type="checkbox"/>	L51	L50 and commands	213
<input type="checkbox"/>	L50	L49 and table\$1 and view\$1 and query\$3 and sql	260
<input type="checkbox"/>	L49	(data near5 type\$1) and (multiple near5 instances) and (relational near5 database\$1) and @py<=2003	609

<input type="checkbox"/>	L48	(relational and instances).ti.	30
<input type="checkbox"/>	L47	(relational and instances and sql).ti.	0
<input type="checkbox"/>	L46	(relational and instances and record\$1 and sql).ti.	0
<input type="checkbox"/>	L45	L44 and olap	0
<input type="checkbox"/>	L44	L43 and cube	27
<input type="checkbox"/>	L43	L42 and attribute\$1 and field\$1	27
<input type="checkbox"/>	L42	L41 and delet\$3 and assign\$3 and record\$1	27
<input type="checkbox"/>	L41	L40 and sql and command\$1	27
<input type="checkbox"/>	L40	L38 and active and inactive	27
<input type="checkbox"/>	L39	L38 and (active near5 record\$1) and (inactive near5 record\$1)	0
<input type="checkbox"/>	L38	L37 and sql and pl\$sql	35
<input type="checkbox"/>	L37	L36 and (updat\$3 near5 view\$1)	61
<input type="checkbox"/>	L36	L35 and (creat\$3 near5 view\$1)	147
<input type="checkbox"/>	L35	(multiple near5 instances) and (relational near5 databases) and @py<=2003	809
<input type="checkbox"/>	L34	(multiple near5 instances) and (relational near5 databases)	1943
<input type="checkbox"/>	L33	6163781.pn.	2
<input type="checkbox"/>	L32	6601062.pn.	2
<input type="checkbox"/>	L31	L30 and olap and sql and view\$1	7
<input type="checkbox"/>	L30	(multiple near5 database\$1) and (multiple near5 instances) and record\$1 and field\$1 and relational and @py<=2003	318
<input type="checkbox"/>	L29	L28 and ((active or inactive) near5 condition\$1)	1
<input type="checkbox"/>	L28	L27 and (table\$1 near5 view\$1)	36
<input type="checkbox"/>	L27	(instance\$1 near5 table\$1) and (instance\$1 near5 database\$1) and (instance\$1 near5 record\$1) and (relational near5 database\$1) and @py<=2003	129
<input type="checkbox"/>	L26	L25 and (analysis near5 data)	3
<input type="checkbox"/>	L25	L20 and trigger\$1	34
<input type="checkbox"/>	L24	L20 and olap	0
<input type="checkbox"/>	L23	L20 and (active near5 field\$1) and (inactive near5 field\$1)	0
<input type="checkbox"/>	L22	L20 and (active near5 table\$1) and (inactive near5 table\$1)	0
<input type="checkbox"/>	L21	L20 and (active near5 record\$1) and (inactive near5 record\$1)	0
<input type="checkbox"/>	L20	L19 and (first near5 database) and (second near5 database)	53
<input type="checkbox"/>	L19	(multiple near5 instances) and (relational near5 table\$1) and (sql near5 query\$3) and record\$1 and field\$1 and (data near5 type\$1) and @py<=2003	120
<input type="checkbox"/>	L18	(olap and cube\$1 and trigger\$1 and record\$1 and instance\$1 and relational and table\$1 and attribute\$1 and field\$1 and command\$1 and active and inactive and updat\$3 and delet\$3 and creat\$3) and @py<=2003	0
<input type="checkbox"/>	L17	L15 and olap	0
<input type="checkbox"/>	L16	L15 and snapshot\$1	3

(multiple near5 database\$1) and (multiple near5 instance\$1) and (multiple near5

<input type="checkbox"/>	L15	table\$1) and record\$1 and field\$1 and (active near5 instance\$1) and updat\$3 and delet\$3 and assign\$3 and creat\$3 and @py<=2003	14
<input type="checkbox"/>	L14	(customer\$1 near5 table\$1) and (shipp\$3 near5 table\$1) and (instance\$1 near5 multiple) and @py<=2003	6
<input type="checkbox"/>	L13	(customer\$1 near5 table\$1) and (shipp\$3 near5 table\$1) and (instance\$1 near5 multiple) and olap and cube and (active near5 instance\$1) and @py<=2003	0
<input type="checkbox"/>	L12	L11 and view\$1	4
<input type="checkbox"/>	L11	L10 and trigger\$1	6
<input type="checkbox"/>	L10	L9 and delet\$3	20
<input type="checkbox"/>	L9	L8 and record\$1	26
<input type="checkbox"/>	L8	L6 and updat\$3	26
<input type="checkbox"/>	L7	L6 and olap	0
<input type="checkbox"/>	L6	(first near5 database) and (second near5 database) and (first near5 table) and (second near5 table) and (multiple near5 instances) and sql and @py<=2003 (first near5 database) and (second near5 database) and (first near5 table) and (second near5 table) and (multiple near5 instances) and sql and olap and cube	28
<input type="checkbox"/>	L5	and (star near5 schema) and delet\$3 and creat\$3 and view\$1 and assign\$3 and record\$1 and attribute\$1 and updat\$3 and active and inactive and condition\$1 and @py<=2003 (relational and table\$1 and cube and multiple and instances and condition\$1 and sql and active and inactive and field\$1 and attribute\$1 and updat\$3 and creat\$3 and assign\$3 and record\$1 and delet\$3 and database\$1 and olap and schema) and @py<=2003	0
<input type="checkbox"/>	L4		3
<input type="checkbox"/>	L3	L2 and (multiple near5 instances)	1
<input type="checkbox"/>	L2	L1 and (star near5 schema)	16
<input type="checkbox"/>	L1	(relational and database\$1 and record\$1 and instances and table\$1 and field\$1 and creat\$3 and view\$1 and delet\$3 and value\$1 and updat\$3 and olap and cube) and @py<=2003	39

END OF SEARCH HISTORY